

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCPP00009

METRC ID: 1A4070100001069000027977

Report Created: 2/23/2022

CC ID: 2202NCTL0495.2992

Sample Received: 2/18/2022

LIMS ID: 70286

Item: M00000038031: Shatter

METRC Batch: 1A4070100001069000027935

Strain:

Product Category: Bulk Concentrate


CANNABINOID PROFILE by / / Date Tested - 02/21/2022

Analyte	LOQ mg/g	Result mg/g	Result %
Tetrahydrocannabinolic acid (THCA)	2.74	758	75.8
delta-9-Tetrahydrocannabinol (delta-9-THC)	2.74	36.1	3.61
delta 8-Tetrahydrocannabinol (delta 8 THC)	11	ND	ND
Tetrahydrocannabivarin (THCV)	2.74	ND	ND
Cannabidiolic acid (CBDA)	2.74	ND	ND
Cannabidiol (CBD)	2.74	ND	ND
Cannabidivarin (CBDV)	2.74	ND	ND
Cannabinol (CBN)	2.74	ND	ND
Cannabigerolic acid (CBGA)	2.74	14	1.4
Cannabigerol (CBG)	2.74	3	0.3
Cannabichromene (CBC)	2.74	ND	ND
<b>Total THC</b>		<b>701</b>	<b>70.1</b>
<b>Total CBD</b>		<b>ND</b>	<b>ND</b>
<b>Total THC + delta-8-THC + THCV</b>		<b>701</b>	<b>70.1</b>

<b>Total THC: 701 mg/g</b> <b>Total CBD: 0.00 mg/g</b> <b>Cannabinoids</b>	<b>Pass</b>	<b>Pass</b>	<b>Tested</b>	<b>Pass</b>
	<b>Heavy Metals</b>	<b>Pesticides</b>	<b>Terpenes</b>	<b>Residual Solvents</b>
<b>Pass</b>	<b>Pass</b>	<b>Not Tested</b>	<b>Not Tested</b>	<b>Pass</b>
<b>Mycotoxins</b>	<b>Microbials</b>	<b>Moisture</b>	<b>Water Activity</b>	<b>ND</b> <b>Foreign Matter</b>

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010

  
**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCP00009

**METRC ID: 1A4070100001069000027977**

Report Created: 2/23/2022

CC ID: 2202NCTL0495.2992

Sample Received: 2/18/2022

LIMS ID: 70286

Item: M00000038031: Shatter

METRC Batch: 1A4070100001069000027935

Strain:

Product Category: Bulk Concentrate

## Heavy Metals by ICPMS / / Date Tested - 02/21/2022

Analyte	LOQ	OAC-3796	Result	Status
	ppm	ppm Limit	ppm	
Lead	0.376	0.87	ND	Passed
Arsenic	0.0941	0.42	ND	Passed
Cadmium	0.0941	0.27	ND	Passed
Mercury	0.0941	0.87	ND	Passed

## NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCPP00009

METRC ID: 1A4070100001069000027977

Report Created: 2/23/2022

CC ID: 2202NCTL0495.2992

Sample Received: 2/18/2022

LIMS ID: 70286

Item: M00000038031: Shatter

METRC Batch: 1A4070100001069000027935

Strain:

Product Category: Bulk Concentrate

Microbials by 3M Petrifilm / / Date Tested - 02/21/2022

Analyte	LOQ cfu/g	OAC-3796 cfu/g Limit	Result cfu/g	Status
Total Coliforms		100	ND	Passed
E. Coli		1	ND	Passed
Total Yeast & Mold		1000	ND	Passed
Salmonella		1	ND	Passed
Bile-Tolerant Gram-Negative Bacteria		100	ND	Passed
Total Aerobic Bacteria		10000	ND	Passed

NOTES

MICROPP22022101

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCP00009

**METRC ID: 1A4070100001069000027977**

Report Created: 2/23/2022

CC ID: 2202NCTL0495.2992

Sample Received: 2/18/2022

LIMS ID: 70286

Item: M00000038031: Shatter

METRC Batch: 1A4070100001069000027935

Strain:

Product Category: Bulk Concentrate

**Mycotoxins** by LCMSMS / Date Tested - 02/21/2022

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Ochratoxin A	17.3	20	ND	Passed
Aflatoxin B1	4.33	20	ND	Passed
Aflatoxin B2	4.33	20	ND	Passed
Aflatoxin G1	4.33	20	ND	Passed
Aflatoxin G2	4.33	20	ND	Passed
<b>Total Aflatoxins</b>	0.00	20	<b>ND</b>	<b>Passed</b>

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
 105 Commerce Drive  
 Gibsonburg, OH 43431  
 apohlod@standardwellness.com  
 License: MMCPP00009

**METRC ID: 1A4070100001069000027977**

Report Created: 2/23/2022

CC ID: 2202NCTL0495.2992

Sample Received: 2/18/2022

LIMS ID: 70286

Item: M00000038031: Shatter

METRC Batch: 1A4070100001069000027935

Strain:


Product Category: Bulk Concentrate

**Pesticides** by LCMSMS / / Date Tested - 02/21/2022

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Myclobutanil	43.3	ND	ND	Passed
Aldicarb	8.67	ND	ND	Passed
Paclbutrazol	8.67	ND	ND	Passed
Pyrethrin 1	243	50	ND	Passed
Flonicamid	26	30	ND	Passed
Abamectin	43.3	ND	ND	Passed
Dimethoate	8.67	ND	ND	Passed
Piperonyl Butoxide	8.67	100	ND	Passed
Trifloxystrobin	8.67	10	ND	Passed
Etoxazole	8.67	ND	ND	Passed
Diazinon	4.33	ND	ND	Passed
Fludioxonil	8.67	10	ND	Passed
Imidacloprid	8.67	ND	ND	Passed
Thiamethoxam	8.67	20	ND	Passed
Dichlorvos	43.3	ND	ND	Passed
Spirotetramat	17.3	10	ND	Passed
Cyfluthrin	243	10	ND	Passed
Daminozide	43.3	ND	ND	Passed
Bifenazate	17.3	20	ND	Passed
<b>Spinosad</b>	4.33	10	<b>ND</b>	<b>Passed</b>

NOTES

North Coast Testing Laboratories, LLC  
 10100 Wellman Road  
 Streetsboro, OH 44241  
 (234) 212-1860  
 License #MMCPL00010



**Nick Szabo**  
 Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCPP00009

**METRC ID: 1A4070100001069000027977**

Report Created: 2/23/2022

CC ID: 2202NCTL0495.2992

Sample Received: 2/18/2022

LIMS ID: 70286

Item: M00000038031: Shatter

METRC Batch: 1A4070100001069000027935

Strain:


Product Category: Bulk Concentrate

## Residual Solvents by GCMS / / Date Tested - 02/21/2022

Analyte	LOQ	OAC-3796	Result	Status
	ppm	ppm Limit	ppm	
Acetone	14.6	5000	106	Passed
Benzene	3.64	2	ND	Passed
Ethanol	146	5000	ND	Passed
Heptane	3.64	5000	ND	Passed
Hexane	3.64	290	ND	Passed
Isobutane	3.64	5000	ND	Passed
Isopropyl Alcohol	146	5000	ND	Passed
N-butane	3.64	5000	478	Passed
Pentane	3.64	5000	ND	Passed
Propane	7.28	5000	ND	Passed
Toluene	7.28	890	ND	Passed
Xylenes (o)	14.6	2170	ND	Passed
Xylenes (m, p)	7.28	2170	ND	Passed
<b>Total Xylenes</b>	0.00	2170	<b>ND</b>	<b>Passed</b>

## NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010

  
**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCPP00009

**METRC ID: 1A4070100001069000027977**

Report Created: 2/23/2022

CC ID: 2202NCTL0495.2992

Sample Received: 2/18/2022

LIMS ID: 70286

Item: M00000038031: Shatter

METRC Batch: 1A4070100001069000027935

Strain:

Product Category: Bulk Concentrate

Terpenes by GCMS / / Date Tested - 02/22/2022

Analyte	LOQ	Mass	Mass
	mg/g	mg/g	%
beta-Caryophyllene	0.294	3.42	0.342
delta-Limonene	0.294	2.37	0.237
Linalool	0.294	2.36	0.236
alpha-Humulene	0.294	1.02	0.102
beta-Myrcene	0.294	0.945	0.0945
alpha-Bisabolol	0.294	0.398	0.0398
beta-Pinene	0.294	0.385	0.0385
beta-Ocimene	0.294	0.34	0.034
alpha-Terpinene	0.294	ND	ND
gamma-Terpinene	0.294	ND	ND
alpha-Pinene	0.294	ND	ND
delta-3-Carene	0.294	ND	ND
Isopulegol	0.294	ND	ND
Terpinolene	0.294	ND	ND
Camphene	0.294	ND	ND

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.