

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMPC00020

METRC ID: 1A40701000005DD000015475

Report Created: 3/15/2022

CC ID: 2203NCTL0735.4515

Sample Received: 3/11/2022

LIMS ID: 71878

Item: M00000032822: Wedding Cake Flower

METRC Batch: 1A40701000005DD000015291

Strain: Wedding Cake

Product Category: Bulk Flower/Buds


CANNABINOID PROFILE by / NCTL SOP-104 / Date Tested - 03/14/2022

Analyte	LOQ %	Result mg/g	Result %
Tetrahydrocannabinolic acid (THCA)	0.0971	277	27.7
delta-9-Tetrahydrocannabinol (delta-9-THC)	0.0971	9.42	0.942
delta 8-Tetrahydrocannabinol (delta 8 THC)	0.194	ND	ND
Tetrahydrocannabivarin (THCV)	0.0971	ND	ND
Cannabidiolic acid (CBDA)	0.0971	ND	ND
Cannabidiol (CBD)	0.0971	ND	ND
Cannabidivarin (CBDV)	0.0971	ND	ND
Cannabinol (CBN)	0.0971	ND	ND
Cannabigerolic acid (CBGA)	0.0971	10.3	1.03
Cannabigerol (CBG)	0.0971	ND	ND
Cannabichromene (CBC)	0.0971	ND	ND
<b>Total THC</b>		<b>252</b>	<b>25.2</b>
<b>Total CBD</b>		<b>ND</b>	<b>ND</b>
<b>Total THC + delta-8-THC + THCV</b>		<b>252</b>	<b>25.2</b>

<b>Total THC: 25.2%</b> <b>Total CBD: 0.00%</b> Cannabinoids	Pass Heavy Metals	Pass Pesticides	Tested Terpenes	Not Tested Residual Solvents
Pass Mycotoxins	Pass Microbials	Tested 12.9% Moisture	Tested 0.44 aw Water Activity	Pass ND Foreign Matter

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010

  
Nick Szabo  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCP00020

**METRC ID: 1A40701000005DD000015475**

Report Created: 3/15/2022

CC ID: 2203NCTL0735.4515

Sample Received: 3/11/2022

LIMS ID: 71878

Item: M00000032822: Wedding Cake Flower

METRC Batch: 1A40701000005DD000015291

Strain: Wedding Cake

Product Category: Bulk Flower/Buds

## Heavy Metals by ICPMS / NCTL SOP-103 / Date Tested - 03/14/2022

Analyte	LOQ ppm	OAC-3796 ppm Limit	Result ppm	Status
Arsenic	0.0971	0.42	ND	Passed
Cadmium	0.0971	0.27	ND	Passed
Lead	0.388	0.87	ND	Passed
Mercury	0.0971	0.87	ND	Passed

## NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCP00020

**METRC ID: 1A40701000005DD000015475**

Report Created: 3/15/2022

CC ID: 2203NCTL0735.4515

Sample Received: 3/11/2022

LIMS ID: 71878

Item: M00000032822: Wedding Cake Flower

METRC Batch: 1A40701000005DD000015291

Strain: Wedding Cake

Product Category: Bulk Flower/Buds

**Microbials** by 3M Petrifilm / NCTL SOP-101 / Date Tested - 03/11/2022

Analyte	LOQ cfu/g	OAC-3796 cfu/g Limit	Result cfu/g	Status
Total Aerobic Bacteria		100000	ND	Passed
Bile-Tolerant Gram-Negative Bacteria		1000	ND	Passed
Total Coliforms		1000	ND	Passed
E. Coli		1	ND	Passed
Salmonella		1	ND	Passed
Total Yeast & Mold		10000	47	Passed

NOTES

MICRO22031103

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCP00020

**METRC ID: 1A40701000005DD000015475**

Report Created: 3/15/2022

CC ID: 2203NCTL0735.4515

Sample Received: 3/11/2022

LIMS ID: 71878

Item: M00000032822: Wedding Cake Flower

METRC Batch: 1A40701000005DD000015291

Strain: Wedding Cake

Product Category: Bulk Flower/Buds

**Mycotoxins** by LCMSMS / NCTL SOP-102 / Date Tested - 03/15/2022

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Ochratoxin A	17	20	ND	Passed
Aflatoxin B1	4.26	20	ND	Passed
Aflatoxin B2	4.26	20	ND	Passed
Aflatoxin G1	4.26	20	ND	Passed
Aflatoxin G2	4.26	20	ND	Passed
<b>Total Aflatoxins</b>	0.00	20	<b>ND</b>	<b>Passed</b>

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCP00020

**METRC ID: 1A40701000005DD000015475**

Report Created: 3/15/2022

CC ID: 2203NCTL0735.4515

Sample Received: 3/11/2022

LIMS ID: 71878

Item: M00000032822: Wedding Cake Flower

METRC Batch: 1A40701000005DD000015291

Strain: Wedding Cake


Product Category: Bulk Flower/Buds

**Pesticides** by LCMSMS / NCTL SOP-102 / Date Tested - 03/15/2022

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Abamectin	42.6	ND	ND	Passed
Aldicarb	8.51	ND	ND	Passed
Bifenazate	17	20	ND	Passed
Cyfluthrin	85.1	10	ND	Passed
Daminozide	42.6	ND	ND	Passed
Diazinon	4.26	ND	ND	Passed
Dichlorvos	42.6	ND	ND	Passed
Dimethoate	8.51	ND	ND	Passed
Etoxazole	8.51	ND	ND	Passed
Flonicamid	25.5	30	ND	Passed
Fludioxonil	8.51	10	ND	Passed
Imidacloprid	8.51	ND	ND	Passed
Pacllobutrazol	8.51	ND	ND	Passed
Piperonyl Butoxide	8.51	100	ND	Passed
Pyrethrin 1	23.9	50	ND	Passed
Spirotetramat	17	10	ND	Passed
Thiamethoxam	8.51	20	ND	Passed
Trifloxystrobin	8.51	10	ND	Passed
Myclobutanil	42.6	ND	ND	Passed
<b>Spinosad</b>	4.26	10	<b>ND</b>	<b>Passed</b>

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCP00010

  
\_\_\_\_\_  
**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
apohlod@standardwellness.com  
License: MMCP00020

METRC ID: 1A40701000005DD000015475

Report Created: 3/15/2022

CC ID: 2203NCTL0735.4515

Sample Received: 3/11/2022

LIMS ID: 71878

Item: M00000032822: Wedding Cake Flower

METRC Batch: 1A40701000005DD000015291

Strain: Wedding Cake

Product Category: Bulk Flower/Buds

Terpenes by GCMS / NCTL-SOP-106 / Date Tested - 03/14/2022

Analyte	LOQ	Mass	Mass
	%	mg/g	%
beta-Caryophyllene	0.0162	6.8	0.68
beta-Myrcene	0.0162	5.13	0.513
delta-Limonene	0.0162	2.79	0.279
alpha-Humulene	0.0162	1.77	0.177
Linalool	0.0162	1.66	0.166
beta-Pinene	0.0162	0.372	0.0372
beta-Ocimene	0.0162	0.224	0.0224
alpha-Pinene	0.0162	ND	ND
Camphene	0.0162	ND	ND
alpha-Bisabolol	0.0162	ND	ND
alpha-Terpinene	0.0162	ND	ND
delta-3-Carene	0.0162	ND	ND
gamma-Terpinene	0.0162	ND	ND
Isopulegol	0.0162	ND	ND
Terpinolene	0.0162	ND	ND

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCP00010



Nick Szabo  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.