

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
apohlod@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000030808

Report Created: 4/18/2022

CC ID: 2204NCTL1083.6739

Sample Received: 4/13/2022

LIMS ID: 74243

Item: M00000336508: Distillate/Cannabis Terpene Blend (Standard)

METRC Batch: 1A4070100001069000030687

Strain:

Product Category: Bulk Concentrate


CANNABINOID PROFILE by / / Date Tested - 04/14/2022

Analyte	LOQ mg/g	Result mg/g	Result %
Tetrahydrocannabinolic acid (THCA)	2.5	14.4	1.44
delta-9-Tetrahydrocannabinol (delta-9-THC)	2.5	716	71.6
delta 8-Tetrahydrocannabinol (delta 8 THC)	9.99	ND	ND
Tetrahydrocannabivarin (THCV)	2.5	4.56	0.456
Cannabidiolic acid (CBDA)	2.5	ND	ND
Cannabidiol (CBD)	2.5	68.1	6.81
Cannabidivarin (CBDV)	2.5	ND	ND
Cannabinol (CBN)	2.5	5.32	0.532
Cannabigerolic acid (CBGA)	2.5	ND	ND
Cannabigerol (CBG)	2.5	17.9	1.79
Cannabichromene (CBC)	2.5	ND	ND
Total THC		729	72.9
Total CBD		68.1	6.81
Total THC + delta-8-THC + THCV		733	73.3

Total THC: 729 mg/g Total CBD: 68.1 mg/g Cannabinoids	Pass	Pass	Tested	Pass
	Heavy Metals	Pesticides	Terpenes	Residual Solvents
Pass	Pass	Not Tested	Not Tested	Pass
Mycotoxins	Microbials	Moisture	Water Activity	ND Foreign Matter

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
apohlod@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000030808

Report Created: 4/18/2022

CC ID: 2204NCTL1083.6739

Sample Received: 4/13/2022

LIMS ID: 74243

Item: M00000336508: Distillate/Cannabis Terpene Blend
(Standard)

METRC Batch: 1A4070100001069000030687

Strain:

Product Category: Bulk Concentrate

Heavy Metals by ICPMS / / Date Tested - 04/14/2022

Analyte	LOQ ppm	OAC-3796 ppm Limit	Result ppm	Status
Arsenic	0.0893	0.42	ND	Passed
Cadmium	0.0893	0.27	ND	Passed
Lead	0.357	0.87	ND	Passed
Mercury	0.0893	0.87	ND	Passed

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
apohlod@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000030808

Report Created: 4/18/2022

CC ID: 2204NCTL1083.6739

Sample Received: 4/13/2022

LIMS ID: 74243

Item: M00000336508: Distillate/Cannabis Terpene Blend
(Standard)

METRC Batch: 1A4070100001069000030687

Strain:

Product Category: Bulk Concentrate

Microbials by 3M Petrifilm / / Date Tested - 04/14/2022

Analyte	LOQ cfu/g	OAC-3796 cfu/g Limit	Result cfu/g	Status
Total Aerobic Bacteria		10000	ND	Passed
Bile-Tolerant Gram-Negative Bacteria		100	ND	Passed
Total Coliforms		100	ND	Passed
E. Coli		1	ND	Passed
Salmonella		1	ND	Passed
Total Yeast & Mold		1000	ND	Passed

NOTES

MICROPP22041401

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
apohlod@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000030808

Report Created: 4/18/2022

CC ID: 2204NCTL1083.6739

Sample Received: 4/13/2022

LIMS ID: 74243

Item: M00000336508: Distillate/Cannabis Terpene Blend
(Standard)

METRC Batch: 1A4070100001069000030687

Strain:

Product Category: Bulk Concentrate

Mycotoxins by LCMSMS / Date Tested - 04/15/2022

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Ochratoxin A	16.2	20	ND	Passed
Aflatoxin B1	4.06	20	ND	Passed
Aflatoxin B2	4.06	20	ND	Passed
Aflatoxin G1	4.06	20	ND	Passed
Aflatoxin G2	4.06	20	ND	Passed
Total Aflatoxins	0.00	20	ND	Passed

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
apohlod@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000030808

Report Created: 4/18/2022

CC ID: 2204NCTL1083.6739

Sample Received: 4/13/2022

LIMS ID: 74243

Item: M00000336508: Distillate/Cannabis Terpene Blend (Standard)

METRC Batch: 1A4070100001069000030687

Strain:


Product Category: Bulk Concentrate

Pesticides by LCMSMS / / Date Tested - 04/15/2022

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Pyrethrin 1	227	50	ND	Passed
Spirotetramat	16.2	10	ND	Passed
Thiamethoxam	8.12	20	ND	Passed
Trifloxystrobin	8.12	10	ND	Passed
Piperonyl Butoxide	8.12	100	ND	Passed
Paclbutrazol	8.12	ND	ND	Passed
Myclobutanil	40.6	ND	ND	Passed
Imidacloprid	8.12	ND	ND	Passed
Abamectin	40.6	ND	ND	Passed
Aldicarb	8.12	ND	ND	Passed
Bifenazate	16.2	20	ND	Passed
Cyfluthrin	227	10	ND	Passed
Daminozide	40.6	ND	ND	Passed
Diazinon	4.06	ND	ND	Passed
Dichlorvos	40.6	ND	ND	Passed
Dimethoate	8.12	ND	ND	Passed
Etoxazole	8.12	ND	ND	Passed
Fonicamid	24.4	30	ND	Passed
Fludioxonil	8.12	10	ND	Passed
Spinosad	4.06	10	ND	Passed

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
apohlod@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000030808

Report Created: 4/18/2022

CC ID: 2204NCTL1083.6739

Sample Received: 4/13/2022

LIMS ID: 74243

Item: M00000336508: Distillate/Cannabis Terpene Blend (Standard)

METRC Batch: 1A4070100001069000030687

Strain:


Product Category: Bulk Concentrate

Residual Solvents by GCMS / / Date Tested - 04/14/2022

Analyte	LOQ	OAC-3796	Result	Status
	ppm	ppm Limit	ppm	
Acetone	11.2	5000	14.4	Passed
Benzene	2.79	2	ND	Passed
Ethanol	112	5000	ND	Passed
Heptane	2.79	5000	ND	Passed
Hexane	2.79	290	ND	Passed
Isobutane	2.79	5000	ND	Passed
Isopropyl Alcohol	112	5000	ND	Passed
N-butane	2.79	5000	ND	Passed
Pentane	2.79	5000	ND	Passed
Propane	5.58	5000	ND	Passed
Toluene	5.58	890	ND	Passed
Xylenes (o)	11.2	2170	ND	Passed
Xylenes (m, p)	5.58	2170	ND	Passed
Total Xylenes	0.00	2170	ND	Passed

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
apohlod@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000030808

Report Created: 4/18/2022

CC ID: 2204NCTL1083.6739

Sample Received: 4/13/2022

LIMS ID: 74243

Item: M00000336508: Distillate/Cannabis Terpene Blend
(Standard)

METRC Batch: 1A4070100001069000030687

Strain:

Product Category: Bulk Concentrate

Terpenes by GCMS / / Date Tested - 04/14/2022

Analyte	LOQ	Mass	Mass
	mg/g	mg/g	%
beta-Myrcene	0.278	10.9	1.09
delta-Limonene	0.278	8.63	0.863
beta-Caryophyllene	0.278	7.73	0.773
Linalool	0.278	3.35	0.335
alpha-Humulene	0.278	2.03	0.203
beta-Pinene	0.278	1.83	0.183
alpha-Pinene	0.278	0.521	0.0521
alpha-Bisabolol	0.278	0.431	0.0431
gamma-Terpinene	0.278	ND	ND
Isopulegol	0.278	ND	ND
Terpinolene	0.278	ND	ND
delta-3-Carene	0.278	ND	ND
alpha-Terpinene	0.278	ND	ND
beta-Ocimene	0.278	ND	ND
Camphene	0.278	ND	ND

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.